



ECIBC recommendation on needle core biopsy (NCB) and fine needle aspiration cytology (FNAC)

Bibliography

Accuracy

Altaaf, H. N., & Farooqui, F. (2015). A comparison of ultrasound guided fine needle aspiration cytology and core needle biopsy in evaluation of palpable breast lesions. *Rawal Medical Journal*, 40(4), 392-395.

Andreu, F. J., Sentis, M., Castaner, E., Gallardo, X., Jurado, I., Diaz-Ruiz, M. J., Florensa, R. (1998). The impact of stereotactic large-core needle biopsy in the treatment of patients with nonpalpable breast lesions: a study of diagnostic accuracy in 510 consecutive cases. *European Radiology*, 8(8), 1468-1474.

Anwar, M. R., Saeed, N., & Shahzad, M. K. (2013). Reliability of fine needle aspiration cytology in patients with palpable breast lumps. *PJMHS*, 7(1), 243-246.

Atasoy, M. M., Tasali, N., Cubuk, R., Narin, B., Deveci, U., Yener, N., & Celik, L. (2015). Vacuum-assisted stereotactic biopsy for isolated BI-RADS 4 microcalcifications: evaluation with histopathology and midterm follow-up results. *Diagnostic and Interventional Radiology*, 21(1), 22-27.

Ballo, M. S., & Sneige, N. (1996). Can core needle biopsy replace fine-needle aspiration cytology in the diagnosis of palpable breast carcinoma. A comparative study of 124 women. *Cancer*, 78(4), 773-777. doi:10.1002/(sici)1097-0142(19960815)78:4<773::aid-cnrcr13>3.0.co;2-s

Barra, A. D. A., Gobbi, H., Rezende, C. A. D. L., Gouvea, A. P., De Lucena, C. E. M., Reis, J. H. P., & Silva, S. Z. C. (2008). A comparison of aspiration cytology and core needle biopsy according to tumor size of suspicious breast lesions. *Diagnostic Cytopathology*, 36(1), 26-31.

Baykara, M., Ozkan, Z., Gul, Y., Aslan, O., & Gungor, L. (2013). Effectiveness of the triple test and its alternatives for breast mass evaluation. *J Breast Health*, 9, 195-199.

Brancato, B., Crocetti, E., Bianchi, S., Catarzi, S., Risso, G. G., Bulgaresi, P., . . . Houssami, N. (2012). Accuracy of needle biopsy of breast lesions visible on ultrasound: Audit of fine needle versus core needle biopsy in 3233 consecutive samplings with ascertained outcomes. *Breast*, 21(4), 449-454.

Choi, E. R., Han, B. K., Ko, E. S., Ko, E. Y., Choi, J. S., Cho, E. Y., & Nam, S. J. (2015). Initial experience with a wireless ultrasound-guided vacuum-assisted breast biopsy device. *PLoS ONE*, 10(12), no pagination.

Dahabreh, I. J., Wieland, L. S., Adam, G. P., Halladay, C., Lau, J., & Trikalinos, T. A. (2014). AHRQ Comparative Effectiveness Reviews Core Needle and Open Surgical Biopsy for Diagnosis of Breast Lesions: An Update to the 2009 Report. Rockville (MD): Agency for Healthcare Research and Quality (US).

Dennison, G., Anand, R., Makar, S. H., & Pain, J. A. (2003). A prospective study of the use of fine-needle aspiration cytology and core biopsy in the diagnosis of breast cancer. *Breast J*, 9(6), 491-493.

Elston, C. W., Cotton, R. E., Davies, C. J., & Blamey, R. W. (1978). A comparison of the use of the "Tru-Cut" needle and fine needle aspiration cytology in the pre-operative diagnosis of carcinoma of the breast. *Histopathology*, 2(4), 239-254.

Garg, S., Mohan, H., Bal, A., Attri, A. K., & Kochhar, S. (2007). A comparative analysis of core needle biopsy and fine-needle aspiration cytology in the evaluation of palpable and mammographically detected suspicious breast lesions. *Diagn Cytopathol*, 35(11), 681-689.

Hao, S., Liu, Z. B., Ling, H., Chen, J. J., Shen, J. P., Yang, W. T., & Shao, Z. M. (2015). Changing attitudes toward needle biopsies of breast cancer in Shanghai: Experience and current status over the past 8 years. *OncoTargets and Therapy*, 8, 2865-2871.

Hatada, T., Ishii, H., Ichii, S., Okada, K., Fujiwara, Y., & Yamamura, T. (2000). Diagnostic value of ultrasound-guided fine-needle aspiration biopsy; core-needle biopsy; and evaluation of combined use in the diagnosis of breast lesions. *J Am Coll Surg*, 190(3), 299-303.

Homesh, N. A., Issa, M. A., & El-Sofiani, H. A. (2005). The diagnostic accuracy of fine needle aspiration cytology versus core needle biopsy for palpable breast lump(s). *Saudi medical journal*, 26(1), 42-46.

Iqbal, M. H., Iqbal, K., & Nadeem, A. (2015). Diagnostic accuracy of fine needle aspiration cytology (FNAC) in patients with breast lump. *PJMHS*, 9(4), 1210-1212.

Islam, A., Khondker, N. S., Rahman, S., Reza, E., Mahamud, M. M., Shaon, S. A., . . . Pathan, F. H. (2015). A Comparative Study between FNAC and Histopathology in Diagnosis of Breast Lump. *Mymensingh Med J*, 24(3), 486-491.

Keranen, A. K., Haapea, M., & Rissanen, T. (2015). Ultrasonography as a Guiding Method in Breast Micro-Calcification Vacuum-Assisted Biopsies. *Ultraschall Med*, 22, 22.

Moschetta, M., Telegrafo, M., Carluccio, D. A., Jablonska, J. P., Rella, L., Serio, G., . . . Angelelli, G. (2014). Comparison between fine needle aspiration cytology (FNAC) and core needle biopsy (CNB) in the diagnosis of breast lesions. *G Chir*, 35(7-8), 171-176.

Nagar, S., Iacco, A., Riggs, T., Kestenberg, W., & Keidan, R. (2012). An analysis of fine needle aspiration versus core needle biopsy in clinically palpable breast lesions: A report on the predictive values and a cost comparison. *Am J Surg*, 204(2), 193-198.

Pan, S., Liu, W., Jin, K., Liu, Y., & Zhou, Y. (2014). Ultrasound-guided vacuum-assisted breast biopsy using Mammotome biopsy system for detection of breast cancer: Results from two high volume hospitals. *International Journal of Clinical and Experimental Medicine*, 7(1), 239-246.

Saha, A., Mukhopadhyay, M., Das, C., Sarkar, K., Saha, A. K., & Sarkar, D. K. (2016). FNAC Versus Core Needle Biopsy: A Comparative Study in Evaluation of Palpable Breast Lump. *J Clin Diagn Res*, 10(2), Ec05-08. doi:10.7860/jcdr/2016/15889.7185

Singh Takhellambam, Y. S., Singh Lourembam, S. S., Singh Sapam, O. S., Singh Kshetrimayum, R., Singh Ningthoujam, B. S., & Khan, T. (2013). Comparison of ultrasonography and fine needle aspiration cytology in the diagnosis of malignant breast lesions. *Journal of Clinical and Diagnostic Research*, 7(12), 2847-2850.

Symmans, W. F., Weg, N., Gross, J., Cangiarella, J. F., Tata, M., Mazzo, J. A., & Waisman, J. (1999). A prospective comparison of stereotaxic fine-needle aspiration versus stereotaxic core needle biopsy for the diagnosis of mammographic abnormalities. *Cancer*, 85(5), 1119-1132.

Tikku, G., & Umap, P. (2015). Comparative Study of Core Needle Biopsy and Fine Needle Aspiration Cytology in Palpable Breast Lumps: Scenario in Developing Nations. *Turk Patoloji Derg*, 32(1), 1-7. doi:10.5146/tjpath.2015.01335

Usman, K., Nisar, B., & Sajid, M. (2015). Diagnostic accuracy of fine needle aspiration cytology in a breast lump using histopathology as gold standard. *Saudi Med J*, 9(1), 191-193.

Westenend, P. J., Sever, A. R., Beekman-De Volder, H. J., & Liem, S. J. (2001). A comparison of aspiration cytology and core needle biopsy in the evaluation of breast lesions. *Cancer*, 93(2), 146-150.

Yu, Y. H., Wei, W., & Liu, J. L. (2012). Diagnostic value of fine-needle aspiration biopsy for breast mass: a systematic review and meta-analysis. *BMC Cancer*, 12, 41. doi:10.1186/1471-2407-12-41

Zhou, J. Y., Tang, J., Wang, Z. L., Lv, F. Q., Luo, Y. K., Qin, H. Z., & Liu, M. (2014). Accuracy of 16/18G core needle biopsy for ultrasound-visible breast lesions. *World J Surg Oncol*, 12, 7. doi:10.1186/1477-7819-12-7

Economic evidence

Hukkinen, K., Kivisaari, L., Heikkilä, P. S., Von Smitten, K., & Leidenius, M. (2008). Unsuccessful preoperative biopsies, fine needle aspiration cytology or core needle biopsy, lead to increased costs in the diagnostic workup in breast cancer. *Acta Oncol*, 47(6), 1037-1045. doi:10.1080/02841860802001442

Vimpeli, S. M., Saarenmaa, I., Huhtala, H., & Soimakallio, S. (2008). Large-core needle biopsy versus fine-needle aspiration biopsy in solid breast lesions: comparison of costs and diagnostic value. *Acta Radiol*, 49(8), 863-869. doi:10.1080/02841850802235751