



# ECIBC recommendation on breast cancer screening ages

## Bibliography

### Evidence of effects

Alexander FE, Anderson TJ, Brown HK, Forrest AP, Hepburn W, Kirkpatrick AE, Muir BB, Prescott RJ, Smith A. *14 years of follow-up from the Edinburgh randomised trial of breast-cancer screening*. *Lancet*. 1999;353(9168):1903-8.

Andersson I, Aspegren K, Janzon L, Landberg T, Lindholm K, Linell F, et al. *Mammographic screening and mortality from breast cancer: the Malmö mammographic screening trial*. *BMJ* 1988;297(6654):943-8.

Armaroli P, Villain P, Suonio E, Almonte M, Anttila A, Atkin WS, et al. *European Code against Cancer, 4th Edition: Cancer screening*. *Cancer epidemiology*. 2015;39 Suppl 1:S139-52.

Autier P, Héry C, Haukka J, Boniol M, Byrnes G. *Advanced breast cancer and breast cancer mortality in randomized controlled trials on mammography screening*. *J Clin Oncol*. 2009 Dec 10;27(35):5919-23.

Baena-Canada JM, Rosado-Varela P, Exposito-Alvarez I, Gonzalez-Guerrero M, Nieto-Vera J, Benitez-Rodriguez E. *Women's perceptions of breast cancer screening. Spanish screening programme survey*. *Breast (Edinburgh, Scotland)* 2014, 23(6):883-888.

Benjamin DJ. *The efficacy of surgical treatment of breast cancer*. *Medical Hypotheses* 1996;47(5):389-97.

Bjurstam N, Bjorneld L, Duffy SW, et al. *The Gothenburg breast screening trial: first results on mortality, incidence, and mode of detection for women ages 39-49 years at randomization*. *Cancer*. 1997;80(11): 2091-9.

Bjurstam N, Bjorneld L, Warwick J, et al. *The Gothenburg Breast Screening Trial*. *Cancer*. 2003;97(10): 2387-96.

Bjurstam NG, Björneld LM, Duffy SW. *Updated results of the Gothenburg Trial of Mammographic Screening*. *Cancer*. 2016 Apr 8. doi: 10.1002/cncr.29975. [Epub ahead of print]

Blue Cross Blue Shield Association; Kaiser Permanente. *Special report: screening asymptomatic women with dense breasts and normal mammograms for breast cancer*. *Technol Eval Cent Assess Program Exec Summ*. 2014 Apr;28(15):1-2.

Bolejko A, Hagell P, Wann-Hansson C, Zackrisson S: *Prevalence, Long-term Development, and Predictors of Psychosocial Consequences of False-Positive Mammography among Women Attending Population-Based Screening*. *Cancer epidemiology, biomarkers & prevention* : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology 2015, 24(9):1388-1397.

Bolejko A, Zackrisson S, Hagell P, Wann-Hansson C: *A roller coaster of emotions and sense--coping with the perceived psychosocial consequences of a false-positive screening mammography*. *Journal of clinical nursing* 2014, 23(13-14):2053-2062.

Bond M, Garside R, Hyde C: *Improving screening recall services for women with false-positive mammograms: a comparison of qualitative evidence with UK guidelines*. *BMJ open* 2015, 5(1):e005855.

Bond M, Pavey T, Welch K, Cooper C, Garside R, Dean S, Hyde CJ. *Psychological consequences of false-positive screening mammograms in the UK*. *Evid Based Med*. 2013 Apr;18(2):54-61.

Braithwaite D, Walter LC, Izano M, Kerlikowske K. *Benefits and Harms of Screening Mammography by Comorbidity and Age: A Qualitative Synthesis of Observational Studies and Decision Analyses*. *J Gen Intern Med*. 2016 Jan 29. doi: 10.1007/s11606-015-3580-3.

Brandon CJ, Mullan PB: *Patients' perception of care during image-guided breast biopsy in a rural community breast center: communication matters*. *Journal of cancer education : the official journal of the American Association for Cancer Education* 2011, 26(1):156-160.

Brett J, Bankhead C, Henderson B, et al. *The psychological impact of mammographic screening. A systematic review*. *Psychooncology*. 2005;14(11): 917-38.

Broeders M, Moss S, Nyström L, et al. *The impact of mammographic screening on breast cancer mortality in Europe: a review of observational studies*. *J Med Screen*. 2012;19 Suppl 1: 14-25.

Buseman S, Mouchawar J, Calonge N, et al. *Mammography screening matters for young women with breast carcinoma: evidence of downstaging among 42-49-year-old women with a history of previous mammography screening*. *Cancer*. 2003;97(2): 352-8.

Carter CL, Allen C, Henson DE. *Relation of tumor size, lymph node status, and survival in 24, 740 breast cancer cases*. *Cancer* 1989; 63(1):181-7.

Carter JL, Coletti RJ, Harris RP. *Quantifying and monitoring overdiagnosis in cancer screening: a systematic review of methods*. *BMJ* 2015;350:g7773.

Chicken DW, Sivanadarajah N, Keshtgar MRS: *Patients' view on intraoperative diagnosis of sentinel nodes in breast cancer: is it an automatic choice?* *International journal of surgery (London, England)* 2007, 5(2):76-80.

Chu KC, Smart CR, Tarone RE. *Analysis of breast cancer mortality and stage distribution by age for the Health Insurance Plan clinical trial*. *J Natl Cancer Inst*. 1988;80(14): 1125-32.

Collette HJ, Day NE, Rombach JJ, de Waard F. *Evaluation of screening for breast cancer in a non-randomised study (the DOM project) by means of a case-control study*. *Lancet* 1984;1(8388): 1224-6.

Collette HJ, de Waard F, Rombach JJ, Collette C, Day NE. *Further evidence of benefits of a (non-randomised) breast cancer screening programme: the DOM project*. *J Epidemiol Commun Health* 1992; 46(4): 382-6.

de Gelder R, Draisma G, Heijnsdijk EA, de Koning HJ. *Population-based mammography screening below age 50: balancing radiation-induced vs prevented breast cancer deaths*. *Br J Cancer* 2011;104(7):1214-20.

de Gelder R, Heijnsdijk EA, Fracheboud J, et al. *The effects of population-based mammography screening starting between age 40 and 50 in the presence of adjuvant systemic therapy*. *Int J Cancer* 2015; 137:165-72.

de Koning HJ, Boer R, Warmerdam PG, Beemsterboer PM, van der Maas PJ. *Quantitative interpretation of age-specific mortality reductions from the*

*Swedish breast cancer screening trials*. *J Natl Cancer Inst* 1995;87(16):1217-23.

Ferlay J, Soerjomataram I, Ervik M, Dikshit R, Eser S, Mathers C, Rebelo M, Parkin DM, Forman D, Bray, F. *GLOBOCAN 2012 v1.0, Cancer Incidence and Mortality Worldwide: IARC CancerBase No. 11* [Internet]. Lyon,

France: International Agency for Research on Cancer; 2013. Available from: <http://globocan.iarc.fr>, accessed on day/month/year.

Fischer C, Dolbeault S, Sultan S, Bredart A: Prevalence, intensity, and predictors of the supportive care needs of women diagnosed with breast cancer: a systematic review. *Psycho-oncology* 2014, 23(4):361-374.

Frisell J, Glas U, Hellstrom L, Somell A. Randomized mammographic screening for breast cancer in Stockholm. Design, first round results and comparisons. *Breast Cancer Research and Treatment* 1986;8(1):45-54.

Frisell J, Lidbrink E, Hellstrom L, et al. Followup after 11 years--update of mortality results in the Stockholm mammographic screening trial. *Breast Cancer Res Treat.* 1997;45(3): 263-70.

Ganott MA, Sumkin JH, King JL, Klym AH, Catullo VJ, Cohen CS, Gur D: Screening mammography: do women prefer a higher recall rate given the possibility of earlier detection of cancer? *Radiology* 2006, 238(3):793-800.

Garcia Fernández A, Chabrera C, Garcia Font M, et al. Mortality and recurrence patterns of breast cancer patients diagnosed under a screening programme versus comparable non-screened breast cancer patients from the same population: analytical survey from 2002 to 2012. *Tumour Biol.* 2014;35(3): 1945-53.

Gotzsche PC, Jorgensen KJ. Screening for breast cancer with mammography. *Cochrane Database Syst Rev.* 2013;6.

Guyatt GH, Oxman AD, Schünemann HJ, Tugwell P, Knottnerus A. GRADE guidelines: a new series of articles in the *Journal of Clinical Epidemiology*. *J Clin Epidemiol* 2011 Apr;64(4):380-2.

Guyatt GH, Oxman AD, Vist GE, Kunz R, Falck-Ytter Y, Alonso-Coello P, Schünemann HJ; GRADE Working Group. GRADE: an emerging consensus on rating quality of evidence and strength of recommendations. *BMJ* 2008; 336(7650):924-6.

Habbema JD, van Oortmarssen GJ, van Putten DJ, et al. Age-specific reduction in breast cancer mortality by screening: an analysis of the results of the Health Insurance Plan of Greater New York study. *J Natl Cancer Inst.* 1986;77(2): 317-20.

Health Council of the Netherlands. Population screening for breast cancer: expectations and developments. The Hague: Health Council of the Netherlands, 2014; publication no. 2014/01E.

Hellquist BN, Duffy SW, Abdsaleh S, et al. Effectiveness of population-based service screening with mammography for women ages 40 to 49 years: evaluation of the Swedish Mammography Screening in Young Women (SCRY) cohort. *Cancer.* 2011;117(4): 714-22. Hendrick RE. Radiation doses and cancer risks from breast imaging studies. *Radiology.* 2010;257(1): 246- 53.

Hersch J, Jansen J, Barratt A, Irwig L, Houssami N, Howard K, Dhillon H, McCaffery K: Women's views on overdiagnosis in breast cancer screening: a qualitative study. *BMJ (Clinical research ed)* 2013, 346:f158.

Higgins JPT, Altman DG, Sterne JAC. Chapter 8: assessing risk of bias in included studies. In: Higgins JPT, Green S, editors. *Cochrane handbook for systematic reviews of interventions* version 5.1.0 (updated March 2011). The Cochrane Collaboration. 2011.

Hobbs MM, Taylor DB, Buzynski S, Peake RE: Contrast-enhanced spectral mammography (CESM) and contrast enhanced MRI (CEMRI): Patient preferences and tolerance. *Journal of medical imaging and radiation oncology* 2015, 59(3):300-305.

Hofvind S, Ponti A, Patnick J, et al. False-positive results in mammographic screening for breast cancer in Europe: a literature review and survey of service screening programmes. *J Med Screen* 2012; 19: Suppl 1: 57-66.

Independent UKPoBCS. The benefits and harms of breast cancer screening: an independent review. *Lancet*. 2012;380(9855): 1778-86.

Institute for Clinical and Economic Review (ICER). Appropriate imaging for breast cancer screening in special populations. Boston: Institute for Clinical and Economic Review (ICER). 2014. Available from [http://www.hca.wa.gov/hta/Pages/breast\\_imaging.aspx](http://www.hca.wa.gov/hta/Pages/breast_imaging.aspx)

Jensen AR, Garne JP, Storm HH, et al. Stage and survival in breast cancer patients in screened and non-screened Danish and Swedish populations. *Acta Oncol*. 2003;42(7): 701-9.

Khangura S, Konnyu K, Cushman R, Grimshaw J, Moher D. Evidence summaries: the evolution of a rapid review approach. *Syst Rev*. 2012 Feb 10;1:10.

Lauby-Secretan B, Scocciati C, Loomis D, Benbrahim-Tallaa L, Bouvard V, Bianchini F, Straif K; International Agency for Research on Cancer Handbook Working Group. Breast-cancer screening--viewpoint of the IARC Working Group. *N Engl J Med*. 2015 Jun 11;372(24):2353-8.

Lewin S, Glenton C, Munthe-Kaas H, Carlsen B, Colvin CJ, Gülmezoglu M, et al. Using qualitative evidence in decision making for health and social interventions: an approach to assess confidence in findings from qualitative evidence syntheses (GRADE-CERQual). *PLoS Med*. 2015 Oct 27;12(10):e1001895.

Løberg M, Lousdal ML, Bretthauer M, Kalager M. Benefits and harms of mammography screening. *Breast Cancer Res*. 2015 May 1;17:63. doi: 10.1186/s13058-015-0525-z.

Marmot et al. Independent UK Panel on Breast Cancer Screening. The benefits and harms of breast cancer screening: an independent review. *Lancet* 2012; 380: 1778-86.

Michaelson JS, Silverstein M, Wyatt J, et al. Predicting the survival of patients with breast carcinoma using tumor size. *Cancer* 2002; 95(4): 713- 23.

Michaelson JS, Silverstein M, Sgroi D, et al. The effect of tumor size and lymph node status on breast carcinoma lethality. *Cancer* 2003; 98(10): 2133-43.

Miller LS, Shelby RA, Balmadrid MH, Yoon S, Baker JA, Wildermann L, Soo MS: Patient anxiety before and immediately after imaging-guided breast biopsy procedures: impact of radiologist-patient communication. *Journal of the American College of Radiology : JACR* 2013, 10(6):423-431.

Miller AB, To T, Baines CJ, Wall C. Canadian National Breast Screening Study-2: 13-year results of a randomized trial in women aged 50-59 years. *J Natl Cancer Inst* 2000; 92: 1490-99.

Miller AB, To T, Baines CJ, Wall C. The Canadian National Breast Screening Study-1: breast cancer mortality after 11 to 16 years of follow-up. A randomized screening trial of mammography in women age 40 to 49 years. *Ann Intern Med* 2002;137 (5 part 1): 305-12.

Miller AB, Wall C, Baines CJ, et al. Twenty five year follow-up for breast cancer incidence and mortality of the Canadian National Breast Screening Study: randomised screening trial. *BMJ*. 2014;348: g366.

Moberg J, Alonso-Coello P, Oxman AD. GRADE Evidence to Decision (EtD) Frameworks Guidance. Version 1.1 [updated May 2015], The GRADE Working Group, 2015. Available from: <https://ietd.epistemonikos.org/#/help/guidance>

Moss S, Waller M, Anderson TJ, Cuckle H; Trial Management Group. Randomised controlled trial of mammographic screening in women from age 40: predicted mortality based on surrogate outcome measures. *Br J Cancer*. 2005 Mar 14;92(5):955-60.

Moss SM, Cuckle H, Evans A, et al. Effect of mammographic screening from age 40 years on breast cancer mortality at 10 years' follow-up: a randomised controlled trial. *Lancet* 2006;368: 2053-60.

Moss SM, Wale C, Smith R, Evans A, Cuckle H, Duffy SW. Effect of mammographic screening from age 40 years on breast cancer mortality in the UK Age trial at 17 years' follow-up: a randomised controlled trial. *Lancet Oncol*. 2015;16(9):1123-32.

Myers ER, Moorman P, Gierisch JM, Havrilesky LJ, Grimm LJ, Ghatge S, et al. Benefits and Harms of Breast Cancer Screening: A Systematic Review. *JAMA*. 2015;314(15):1615-34.

NETB (National Evaluation Team for Breast cancer screening). National evaluation of breast cancer screening in the Netherlands – eleventh evaluation report. Rotterdam: Department of Public Health, Erasmus MC; 2005.

NICE (National Institute for Health and Clinical Excellence). The guidelines manual: appendix G. NICE methodology checklist for economic evaluations. 2012. Available in: [publications.nice.org.uk/the-guidelines-manual-appendices-bi-pmg6b/appendix-g-methodology-checklist-economic-evaluations#checklist-5b](http://publications.nice.org.uk/the-guidelines-manual-appendices-bi-pmg6b/appendix-g-methodology-checklist-economic-evaluations#checklist-5b).

Nelson HD, Cantor A, Humphrey L, Fu R, Pappas M, Daeges M, et al. U.S. Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews. Screening for Breast Cancer: A Systematic Review to Update the 2009 US Preventive Services Task Force Recommendation. Rockville (MD): Agency for Healthcare Research and Quality (US); 2016.

Nelson HD, Fu R, Cantor A, Pappas M, Daeges M, Humphrey L. Effectiveness of Breast Cancer Screening: Systematic Review and Meta-analysis to Update the 2009 U.S. Preventive Services Task Force Recommendation. *Annals of internal medicine*. 2016;164(4):244-55.

Nelson HD, Pappas M, Cantor A, Griffin J, Daeges M, Humphrey L. Harms of Breast Cancer Screening: Systematic Review to Update the 2009 U.S. Preventive Services Task Force Recommendation. *Annals of internal medicine*. 2016;164(4):256-67.

No authors listed. Correction to *Lancet Oncol* 2015; 16: 1127. *Lancet Oncol*. 2015 Sep;16(9):e427. doi: 10.1016/S1470-2045(15)00240-5.

Nyström L, Andersson I, Bjurstam N, et al. Long-term effects of mammography screening: updated overview of the Swedish randomised trials. *Lancet*. 2002;359(9310): 909-19.

Olivotto IA, Mates D, Kan L, et al. Prognosis, treatment, and recurrence of breast cancer for women attending or not attending the Screening Mammography Program of British Columbia. *Breast Cancer Res Treat*. 1999;54(1): 73-81.

Olsson A, Garne JP, Tengrup I, et al. Overweight in relation to tumour size and axillary lymph node involvement in postmenopausal breast cancer patients-differences between women invited to vs. not invited to mammography in a randomized screening trial. *Cancer Epidemiol*. 2009;33(1): 9-15.

Presutti R, D'Alimonte L, McGuffin M, Chen H, Chow E, Pignol J-P, Di Prospero L, Doherty M, Kiss A, Wong J et al: Decisional support throughout the cancer journey for older women diagnosed with early stage breast cancer: a single institutional study. *Journal of cancer education : the official journal of the American Association for Cancer Education* 2014, 29(1):129- 135.

Puliti D, Duffy SW, Miccinesi G, et al. Overdiagnosis in mammographic screening for breast cancer in Europe: a literature review. *J Med Screen* 2012; 19: Suppl 1: 42-56.

Roberts MM, Alexander FE, Anderson TJ, Chetty U, Donnan PT, Forrest P, Hepburn W, Huggins A, Kirkpatrick AE, Lamb J, et al. Edinburgh trial of screening for breast cancer: mortality at seven years. *Lancet*. 1990;335(8684):241-6.

Salz T, Richman AR, Brewer NT. Meta-analyses of the effect of false-positive mammograms on generic and specific psychosocial outcomes. *Psychooncology*. 2010;19(10):1026-34.

Sant M, Allemani C, Capocaccia R, et al. Stage at diagnosis is a key explanation of differences in breast cancer survival across Europe. *Int J Cancer* 2003; 106(3): 416-22.

Sepucha KR, Borkhoff CM, Lally J, Levin CA, Matlock DD, Ng CJ, et al. Establishing the effectiveness of patient decision aids: key constructs and measurement instruments. *BMC: Medical Informatics and Decision Making* 2013;Nov:1-12.

Schünemann H, Brożek J, Guyatt G, Oxman A, editors. GRADE handbook for grading quality of evidence and strength of recommendations. Updated October 2013. The GRADE Working Group, 2013. Available from [www.guidelinedevelopment.org/handbook](http://www.guidelinedevelopment.org/handbook).

Shapiro S, Strax P, Venet L, Venet W. Changes in 5-year breast cancer mortality in a breast cancer screening program. *Proc Natl Cancer Conf*. 1972;7:663-78.

Stout NK, Rosenberg MA, Trentham-Dietz A, Smith MA, Robinson SM, Fryback DG: Retrospective cost-effectiveness analysis of screening mammography. *J Natl Cancer Inst* 2006, 98(11):774-782.

Tabár L, Fagerberg G, Duffy SW, et al. The Swedish two county trial of mammographic screening for breast cancer: recent results and calculation of benefit. *J Epidemiol Community Health*. 1989;43(2):107-14.

Tabár L, Fagerberg G, Chen HH, et al. Efficacy of breast cancer screening by age. New results from the Swedish Two-County Trial. *Cancer*. 1995;75(10): 2507-17.

Tabar L, Chen HH, Duffy SW, Krusemo UB. Primary and adjuvant therapy, prognostic factors and survival in 1053 breast cancers diagnosed in a trial of mammography screening. *Japanese Journal of Clinical Oncology* 1999;29 (12):608-16.

Tabár L, Vitak B, Chen HH, et al. The Swedish two-county trial twenty years later. Updated mortality results and new insights from long-term follow-up. *Radiol Clin North Am* 2000; 38(4): 625-51.

Tabár L, Vitak B, Chen TH-H, et al. Swedish two-county trial: impact of mammographic screening on breast cancer mortality during 3 decades. *Radiology*. 2011;260(3): 658-63.

Thomson MD, Siminoff LA: Perspectives on mammography after receipt of secondary screening owing to a false positive. *Women's health issues : official publication of the Jacobs Institute of Women's Health* 2015, 25(2):128-133.

Tosteson ANA, Fryback DG, Hammond CS, Hanna LG, Grove MR, Brown M, Wang Q, Lindfors K, Pisano ED: Consequences of false-positive screening mammograms. *JAMA internal medicine* 2014, 174(6):954-961.

Tricco AC, Antony J, Zarin W, Strifler L, Ghassemi M, Ivory J, Perrier L, Hutton B, Moher D, Straus SE. A scoping review of rapid review methods. *BMC Med*. 2015;13:224.

Tsilidis KK, Papadimitriou N, Capothanassi D et al. Burden of Cancer in a Large Consortium of Prospective Cohorts in Europe. *J Natl Cancer Inst*. 2016 May 6;108(10). pii: djw127. doi: 10.1093/jnci/djw127.

van Oortmarssen GJ, Habbema JD, van der Maas PJ, et al. A model for breast cancer screening. *Cancer* 1990; 66(7): 1601–12.

Van den Bruel A, Jones C, Yang Y, Oke J, Hewitson P: People's willingness to accept overdiagnosis in cancer screening: population survey. *BMJ (Clinical research ed)* 2015, 350:h980.

Verbeek AL, Hendriks JH, Holland R, Mravunac M, Sturmans F, Day NE. Reduction of breast cancer mortality through mass screening with modern mammography. First results of the Nijmegen.

Vilapriyo E, Rue M, Marcos-Gragera R, Martinez-Alonso M: Estimation of age- and stage-specific Catalan breast cancer survival functions using US and Catalan survival data. *BMC Cancer* 2009, 9:98.

Waller J, Douglas E, Whitaker KL, Wardle J: Women's responses to information about overdiagnosis in the UK breast cancer screening programme: a qualitative study. *BMJ open* 2013, 3(4).

Waller J, Whitaker KL, Winstanley K, Power E, Wardle J: A survey study of women's responses to information about overdiagnosis in breast cancer screening in Britain. *British journal of cancer* 2014, 111(9):1831-1835.

Wockel A, Janni W, Porzolt F, Schmutzler R. Benefits and risks of breast cancer screening. *Oncology research and treatment*. 2014;37 Suppl 3:21-8.

World Health Organization. WHO handbook for guideline development – 2nd ed. Available in [http://www.who.int/kms/handbook\\_2nd\\_ed.pdf](http://www.who.int/kms/handbook_2nd_ed.pdf)

WHO Position Paper on Mammography Screening. Geneva: World Health Organization; 2014.

Yaffe MJ, Mainprize JG. Risk of radiation-induced breast cancer from mammographic screening.[Erratum appears in *Radiology*. 2012 Jul;264(1):306]. *Radiology*. 2011;258(1): 98-105.

Zackrisson S, Andersson I, Janzon L, Manjer J, Garne JP. Rate of overdiagnosis of breast cancer 15 years after end of Malmö mammographic screening trial: follow-up study. *BMJ* 2006; 332: 689–92.

Zoetelief J, Veldkamp WJ, Thijssen MA, Jansen JT. Glandularity and mean glandular dose determined for individual women at four regional breast cancer screening units in the Netherlands. *Phys Med Biol* 2006; 51(7):1807– 1817.

## **Acceptability**

Ackerson, K. and S. D. Preston (2009). "A decision theory perspective on why women do or do not decide to have cancer screening: systematic review." *J Adv Nurs* 65(6): 1130-1140.

Ahmed, N. U., K. Winter, A. N. Albatineh and G. Haber (2012). "Clustering very low-income, insured women's mammography screening barriers into potentially functional subgroups." *Womens Health Issues* 22(3): e259-266.

Alexandraki, I. and A. D. Mooradian (2010). "Barriers related to mammography use for breast cancer screening among minority women." *J Natl Med Assoc* 102(3): 206-218.

Amy, N. K., A. Aalborg, P. Lyons and L. Keranen (2006). "Barriers to routine gynecological cancer screening for White and African-American obese women." *Int J Obes (Lond)* 30(1): 147-155.

Andreeva, V. A. and P. Pokhrel. (2013). "Breast cancer screening utilization among Eastern European immigrant women worldwide: A systematic literature review and a focus on psychosocial barriers." 12. Retrieved (Andreeva) UREN, University of Paris, 74 rue Marcel Cachin, Bobigny 93017, France, 22, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed11&NE WS=N&AN=2013781745>.

Angus, J., L. Seto, N. Barry, N. Cechetto, S. Chandani, J. Devaney, S. Fernando, L. Muraca and F. Odette (2012). "Access to cancer screening for women with mobility disabilities." *J Cancer Educ* 27(1): 75-82.

Azami-Aghdash, S., M. Ghojzadeh, S. G. Sheyklo, A. Daemi, K. Kolahdouzan, M. Mohseni and A. Moosavi (2015). "Breast Cancer Screening Barriers from the Womans Perspective: a Meta-synthesis." *Asian Pac J Cancer Prev* 16(8): 3463-3471.

Baron, R. C., B. K. Rimer, R. A. Breslow, R. J. Coates, J. Kerner, S. Melillo, N. Habarta, G. P. Kalra, S. Chattopadhyay, K. M. Wilson, N. C. Lee, P. D. Mullen, S. S. Coughlin and P. A. Briss. (2008). "Client-Directed Interventions to Increase Community Demand for Breast, Cervical, and Colorectal Cancer Screening. A Systematic Review." 1 SUPPL. Retrieved (Baron, Melillo, Habarta, Kalra, Chattopadhyay, Briss) Community Guide Branch, National Center for Health Marketing, CDC, Atlanta, GA, United States, 35, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEW S=N&AN=2008272738>.

Barr, J. K., T. E. Giannotti, T. J. Van Hoof, J. Mongoven and M. Curry (2008). "Understanding barriers to participation in mammography by women with disabilities." *Am J Health Promot* 22(6): 381-385.

Barreau, B., A. Hubert, M. H. Dilhuydy, B. Seradour and J. M. Dilhuydy. (2008). "Qualitative study of motivational and biocultural factors for participation in breast cancer screening." 1. Retrieved (Barreau) Axular Radiologie, Centre Futura, 62, avenue de Bayonne, 64600 Anglet, France, 2, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEW S=N&AN=2008273530>.

Berens, E. M., Y. Yilmaz-Aslan, J. Spallek and O. Razum (2016). "Determinants of mammography screening participation among Turkish immigrant women in Germany - a qualitative study reflecting key informants' and women's perspectives." *Eur J Cancer Care (Engl)* 25(1): 38- 48.

Betancourt, H., P. M. Flynn, M. Riggs and C. Garberoglio (2010). "A cultural research approach to instrument development: the case of breast and cervical cancer screening among Latino and Anglo women." *Health Educ Res* 25(6): 991-1007.

Bowen, S. A., E. M. Williams, C. M. Stoneberg-Cooper, S. H. Glover, M. S. Williams and M. D. Byrd (2013). "Effects of social injustice on breast health- seeking behaviors of low-income women." *Am J Health Promot* 27(4): 222- 230.

Brown, S. L., T. M. Gibney and R. Tarling (2013). "Busy lifestyles and mammography screening: time pressure and women's reattendance likelihood." *Psychol Health* 28(8): 928-938.

Castellanos, M. R., J. Conte, D. A. Fadel, C. Raia, F. Forte, K. Ahern, M. Smith, D. Elsayeh and S. Buchbinder (2008). "Improving access to breast health services with an interdisciplinary model of care." *Breast J* 14(4): 353- 356.

Chen, J. Y., H. Eborall and N. Armstrong. (2014). "Stakeholders' positions in the breast screening debate, and media coverage of the debate: a qualitative study." 1. Retrieved (Chen) Department of Medical and Social Care Education, University of Leicester Medical School, Leicester, United Kingdom, 24, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed12&NE WS=N&AN=2014046897>.

Cohen, E. L., B. R. Wilson, R. C. Vanderpool and T. Collins (2016). "Identifying Sociocultural Barriers to Mammography Adherence Among Appalachian Kentucky Women." *Health Commun* 31(1): 72-82.

Consedine, N. S., C. Magai, Y. S. Krivoshekova, L. Ryzewicz and A. I. Neugut. (2004). "Fear, anxiety, worry, and breast cancer screening behavior: A critical review." 4. Retrieved (Consedine, Magai) Psychology Department, Long Island University, Brooklyn, NY, United States, 13, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed6&NEW S=N&AN=2004247329>.



Corcoran, J., M. Crowley, H. Bell, A. Murray and L. Grindle (2012). "U.S. Latinas' knowledge and attitudes toward mammography: Meta-synthesis." 22(American Cancer Society. (2006). Cancer facts and figures for Hispanics/Latinos 2006-2008. Retrieved from <http://www.cancer.org/downloads/STT/CAFF2006HispPWSecured.pdf>): 671-689.

Davis, T. C., C. L. Arnold, A. Rademaker, S. C. Bailey, D. J. Platt, C. Reynolds, J. Esparza, D. Liu and M. S. Wolf. (2012). "Differences in barriers to mammography between rural and urban women." 7. Retrieved (Davis, Arnold, Platt, Reynolds, Esparza) Department of Medicine and Pediatrics, Louisiana State University, Health Sciences Center, 1501 Kings Highway, Shreveport, LA 71130, United States, 21, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=2012397811>.

Domati, F., E. Travlos, C. Cirilli, G. Rossi, P. Benatti, M. Marino, G. Ponti, M. Vandelli, S. Valmori, A. Oursana, A. Pezzi and M. Ponz De Leon. (2009). "Attitude of the Italian general population towards prevention and screening of the most common tumors, with special emphasis on colorectal malignancies." 3. Retrieved (Domati, Travlos, Rossi, Benatti, Marino, Ponti, Vandelli, Valmori, Oursana, Pezzi, Ponz De Leon) Dipartimento di Medicina Interna, Universita di Modena e Reggio Emilia, Modena, Italy, 4, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=18807148>.

Engelman, K. K., A. M. Cizik, E. F. Ellerbeck and V. F. Rempusheski (2012). "Perceptions of the screening mammography experience by Hispanic and non-Hispanic White women." *Womens Health Issues* 22(4): e395-401.

Ferrante, J. M., D. C. Fyffe, M. L. Vega, A. K. Piasecki, P. A. Ohman-Strickland and B. F. Crabtree (2010). "Family physicians' barriers to cancer screening in extremely obese patients." *Obesity (Silver Spring)* 18(6): 1153-1159.

Ferrat, E., J. Le Breton, M. Djassibel, K. Veerabudun, Z. Brix, C. Attali and V. Renard (2013). "Understanding barriers to organized breast cancer screening in France: women's perceptions, attitudes, and knowledge." *Fam Pract* 30(4): 445-451.

Friedman, A. M., J. R. Hemler, E. Rossetti, L. P. Clemow and J. M. Ferrante (2012). "Obese women's barriers to mammography and pap smear: the possible role of personality." *Obesity (Silver Spring)* 20(8): 1611-1617.

Genoff, M. C., A. Zaballa, F. Gany, J. Gonzalez, J. Ramirez, S. T. Jewell and L. C. Diamond. (2016). "Navigating Language Barriers: A Systematic Review of Patient Navigators' Impact on Cancer Screening for Limited English Proficient Patients." 4. Retrieved (Genoff, Gany, Gonzalez, Ramirez, Diamond) Department of Psychiatry and Behavioral Sciences, Immigrant Health and Cancer Disparities Service, Memorial Sloan-Kettering Cancer Center, New York City, NY, United States, 31, from <http://www.springerlink.com/content/120414/>

Greenwood, N. W., D. Dreyfus and J. Wilkinson (2014). "More than just a mammogram: breast cancer screening perspectives of relatives of women with intellectual disability." *Intellect Dev Disabil* 52(6): 444-455.

Grube, B. J. (2006). "Barriers to diagnosis and treatment of breast cancer in the older woman." 3. Retrieved (Grube) Department of Surgery, Surgical Breast Health Program, University of Texas Medical Branch, Galveston, TX, United States, 202, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed7&NEWS=N&AN=2006115834>.

Hanson, K., P. Montgomery, D. Bakker and M. Conlon (2009). "Factors influencing mammography participation in Canada: an integrative review of the literature." *Curr Oncol* 16(5): 65-75.

Hay, J. L., K. D. McCaul and R. E. Magnan. (2006). "Does worry about breast cancer predict screening behaviors? A meta-analysis of the prospective evidence." 6. Retrieved (Hay) Department of Psychiatry and

Behavioral Sciences, Memorial Sloan-Kettering Cancer Center, 641 Lexington Avenue, New York, NY 10022, United States, 42, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed7&NEWS=N&AN=2006376914>.

Jerome-D'Emilia, B. (2015). "A Systematic Review of Barriers and Facilitators to Mammography in Hispanic Women." *Journal of Transcultural Nursing* 26(1): 73-82 10p.

Kahn, L., C. H. Fox, J. Krause-Kelly, D. E. Berdine and R. B. Cadzow. (2006). "Identifying barriers and facilitating factors to improve screening mammography rates in women diagnosed with mental illness and substance use disorders." 3. Retrieved (Kahn, Fox, Krause-Kelly, Berdine, Cadzow) Department of Family Medicine, State University of New York, Buffalo School of Medicine and Biomedical Sciences, 462 Grider Street, Buffalo, NY 14215, United States, 42, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed7&NEWS=N&AN=2006320730>.

Kaltsa, A., A. Holloway and K. Cox (2013). "Factors that influence mammography screening behaviour: a qualitative study of Greek women's experiences." *Eur J Oncol Nurs* 17(3): 292-301.

Koitsalu, M., M. A. G. Sprangers, M. Eklund, K. Czene, P. Hall, H. Gronberg and Y. Brandberg. (2016). "Public interest in and acceptability of the prospect of risk-stratified screening for breast and prostate cancer." 1. Retrieved (Koitsalu, Brandberg) Karolinska Institutet, Department of Oncology-Pathology, Karolinska University Hospital, Stockholm 171 76, Sweden, 55, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed13&NEWS=N&AN=20151060984>.

Llewellyn, G., S. Balandin, A. Poulos and L. McCarthy (2011). "Disability and mammography screening: intangible barriers to participation." *Disabil Rehabil* 33(19-20): 1755-1767.

Makuc, D. M., N. Breen, H. I. Meissner, S. W. Vernon and A. Cohen. (2007). "Financial barriers to mammography: Who pays out-of-pocket?" 3. Retrieved (Makuc, Cohen) Office of Analysis and Epidemiology, National Center for Health Statistics, Centers for Disease Control and Prevention, Hyattsville, MD, United States, 16, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2007211721>.

McAlearney, A. S., K. W. Reeves, C. Tatum and E. D. Paskett (2007). "Cost as a barrier to screening mammography among underserved women." *Ethn Health* 12(2): 189-203.

McIlpatrick, S., L. Taggart and M. Truesdale-Kennedy (2011). "Supporting women with intellectual disabilities to access breast cancer screening: a healthcare professional perspective." *Eur J Cancer Care (Engl)* 20(3): 412- 420.

Mosavel, M., C. Rafie, D. L. Cadet and A. Ayers (2012). "Opportunities to reduce cancer barriers: community town halls and provider focus groups." *J Cancer Educ* 27(4): 641-648.

Parkington, S. R., N. Faine, M. C. Nguyen, M. T. Lowry and P. A. Virginkar (2009). "Barriers to breast cancer screening in a managed care population." *Manag Care* 18(4): 34-45.

Peipins, L. A., A. Soman, Z. Berkowitz and M. C. White (2012). "The lack of paid sick leave as a barrier to cancer screening and medical care-seeking: results from the National Health Interview Survey." *BMC Public Health* 12: 520.

Peters, K. and A. Cotton (2015). "Barriers to breast cancer screening in Australia: experiences of women with physical disabilities." *J Clin Nurs* 24(3- 4): 563-572.

Pons-Vigues, M., R. Puigpinos-Riera, D. Rodriguez, M. J. Fernandez de Sanmamed, M. I. Pazarin, G. Perez, C. Borrell, M. Casamitjana and J. Benet (2012). "Country of origin and prevention of breast cancer: beliefs, knowledge and barriers." *Health Place* 18(6): 1270-1281.

Robinson-White, S., B. Conroy, K. H. Slavish and M. Rosenzweig. (2010). "Patient navigation in breast cancer: A systematic review." 2. Retrieved (Robinson-White) University of Pittsburgh School of Medicine, 33, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEW S=N&AN=2010151758>.

Sabatino, S. A., N. Habarta, R. C. Baron, R. J. Coates, B. K. Rimer, J. Kerner, S. S. Coughlin, G. P. Kalra and S. Chattopadhyay. (2008). "Interventions to Increase Recommendation and Delivery of Screening for Breast, Cervical, and Colorectal Cancers by Healthcare Providers. Systematic Reviews of Provider Assessment and Feedback and Provider Incentives." 1 SUPPL. Retrieved (Habarta, Baron, Kalra, Chattopadhyay) CDC Community Guide Branch, National Center for Health Marketing, Atlanta, GA, United States, 35, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEW S=N&AN=2008272744>.

Sabih, W. K., J. A. Taher, C. El Jabari, C. Hajat, S. M. Adib and O. Harrison (2012). "Barriers to breast cancer screening and treatment among women in Emirate of Abu Dhabi." *Ethn Dis* 22(2): 148-154.

Sarma, E. A. (2015). "Barriers to screening mammography." *Health Psychol Rev* 9(1): 42-62.

Schueler, K. M., P. W. Chu and R. Smith-Bindman. (2008). "Factors associated with mammography utilization: A systematic quantitative review of the literature." 9. Retrieved (Schueler, Smith-Bindman) Department of Radiology, Santa Clara Valley Medical Center, San Jose, CA, United States, 17, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEW S=N&AN=2008542871>.

Sinicrope, P. S., C. A. Patten, S. M. Bonnema, J. R. Almquist, C. M. Smith, T.J. Beebe, S. J. Jacobsen and C. M. Vachon (2009). "Healthy women's motivators and barriers to participation in a breast cancer cohort study: a qualitative study." *Ann Epidemiol* 19(7): 484-493.

Suzuki, R., G. Krahn, E. Small and J. Peterson-Besse (2013). "Multi-level Barriers to Obtaining Mammograms for Women with Mobility Limitations: Post Workshop Evaluation." *American Journal of Health Behavior* 37(5): 711-718 718p.

Swaine, J. G., S. Dababnah, S. L. Parish and K. Luken (2013). "Family caregivers' perspectives on barriers and facilitators of cervical and breast cancer screening for women with intellectual disability." *Intellect Dev Disabil* 51(1): 62-73.

Todd, A. and A. Stuijbergen (2011). "Barriers and Facilitators to Breast Cancer Screening: A Qualitative Study of Women with Multiple Sclerosis." *Int J MS Care* 13(2): 49-56.

Trigoni, M., F. Griffiths, D. Tsiftsis, E. Koumantakis, E. Green and C. Lionis (2008). "Mammography screening: views from women and primary care physicians in Crete." *BMC Womens Health* 8: 20.

Vedel, I., M. T. E. Puts, M. Monette, J. Monette and H. Bergman. (2011). "Barriers and facilitators to breast and colorectal cancer screening of older adults in primary care: A systematic review." 2. Retrieved (Vedel, Puts, Monette, Monette, Bergman) Solidage, McGill University - Univ. de Montreal Research Group on Frailty and Ageing, Department of Epidemiology Pav H-485. 3755, Ch. Cote Ste Catherine Montreal, Quebec H3T 1E2, Canada, 2, from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEW S=N&AN=2011147121>.

Vernon, S. W. (1999). "Risk perception and risk communication for cancer screening behaviors: a review." *J Natl Cancer Inst Monogr*(25): 101-119.

Watson-Johnson, L. C., A. DeGroff, C. B. Steele, M. Revels, J. L. Smith, E. Justen, R. Barron-Simpson, L. Sanders and L. C. Richardson (2011). "Mammography adherence: a qualitative study." *J Womens Health (Larchmt)* 20(12): 1887-1894.

Weinstein, L. C., M. LaNoue, K. Hurley, R. Sifri and R. Myers (2015). "Using Concept Mapping to Explore Barriers and Facilitators to Breast Cancer Screening in Formerly Homeless Women with Serious Mental Illness." *J Health Care Poor Underserved* 26(3): 908-925.

Wong, C. J. (2009). "A study on the effects of language discordance and limited English proficiency in cancer screening." 3-B. 70, from [http://gateway.proquest.com/openurl?url\\_ver=Z39.88-2004&rft\\_val\\_fmt=info:ofi/fmt:kev:mtx:dissertation&res\\_dat=xri:pqdiss&rft\\_dat=xri:pqdiss:3351889](http://gateway.proquest.com/openurl?url_ver=Z39.88-2004&rft_val_fmt=info:ofi/fmt:kev:mtx:dissertation&res_dat=xri:pqdiss&rft_dat=xri:pqdiss:3351889)

### **Economic evidence**

Brunetti M1, Shemilt I, Pregno S, Vale L, Oxman AD, Lord J, et al. GRADE guidelines: 10. Considering resource use and rating the quality of economic evidence. *J Clin Epidemiol*. 2013 Feb; 66(2): 140-50.

Carles M, Vilapriyo E, Cots F, Gregori A, Pla R, Román R, Sala M, Macià F, Castells X, Rue M. Cost-effectiveness of early detection of breast cancer in Catalonia (Spain). *BMC Cancer*. 2011 May 23; 11: 192.

Curtis L. Unit costs of Health and Social Care. Canterbury: University of Kent at Canterbury, Personal Social Services Research Unit, 2008.

de Gelder R, Bulliard JL, de Wolf C, Fracheboud J, Draisma G, Schopper D, de Koning HJ. Cost-effectiveness of opportunistic versus organised mammography screening in Switzerland. *Eur J Cancer*. 2009 Jan; 45(1): 127-38.

Gocgun Y, Banjevic D, Taghipour S, Montgomery N, Harvey BJ, Jardine AK, Miller AB. Cost-effectiveness of breast cancer screening policies using simulation. *Breast*. 2015 Aug; 24(4):440-8.

Higgins JP, Altman DG, Gøtzsche PC, Jüni P, Moher D, Oxman AD, Savovic J, Schulz KF, Weeks L, Sterne JA; Cochrane Bias Methods Group; Cochrane Statistical Methods Group. The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. *BMJ*. 2011 Oct 18; 343: d5928.

Madan J, Rawdin A, Stevenson M, Tappenden P. A Rapid Response Economic Evaluation of the UK NHS Cancer Reform Strategy Breast Cancer Screening Program Extension via a Plausible Bounds Approach. *Value Health*. 2010, 13(2):215-21.

Melnikow J, Tancredi DJ, Yang Z, Ritley D, Jiang Y, Slee C, Popova S, Rylett P, Knutson K, Smalley S. Program-specific cost-effectiveness analysis: breast cancer screening policies for a safety-net program. *Value Health*. 2013 Sep-Oct; 16(6):932-41.

Mittmann N, Stout NK, Lee P, Tosteson AN, Trentham-Dietz A, Alagoz O, Yaffe MJ. Total cost-effectiveness of mammography screening strategies. *Health Rep*. 2015 Dec; 26(12):16-25.

Moher D, Liberati A, Tetzlaff J, Altman DG; PRISMA Group. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *BMJ*. 2009 Jul 21; 339: b2535.

Pharoah PD, Sewell B, Fitzsimmons D, Bennett HS, Pashayan N. Cost effectiveness of the NHS breast screening programme: life table model. *BMJ*. 2013 May 9; 346: f2618.

Rashidian A, Barfar E, Hosseini H, Nosratnejad S, Barooti E. Cost effectiveness of breast cancer screening using mammography; a systematic review. *Iran J Public Health*. 2013 Apr 1; 42 (4):347-57. Print 2013.

Rojnik K, Naversnik K, Mateović-Rojnik T, Primiczakelj M. Probabilistic cost-effectiveness modeling of different breast cancer screening policies in Slovenia. *Value Health*. 2008 Mar-Apr; 11(2): 139-48.

Saadatmand S, Tilanus-Linthorst MM, Rutgers EJ, et al. Cost-effectiveness of screening women with familial risk for breast cancer with magnetic resonance imaging. *J Natl Cancer Inst* 2013;105: 1314-21.

Sankatsing VD, Heijnsdijk EA, van Luijt PA, van Ravesteyn NT, Fracheboud J, de Koning HJ. Cost-effectiveness of digital mammography screening before the age of 50 in The Netherlands. *Int J Cancer*. 2015 Oct 15; 137(8):1990-9

### **Values and preferences**

Abbey CK, Eckstein MP, Boone JM: An equivalent relative utility metric for evaluating screening mammography. *Medical decision making : an international journal of the Society for Medical Decision Making* 2010, 30(1):113-122.

Ackerson K, Preston SD: A decision theory perspective on why women do or do not decide to have cancer screening: systematic review. *Journal of advanced nursing* 2009, 65(6):1130-1140.

Ahmadian M, Samah AA, Redzuan Mr, Emby Z: The influence of psycho- social factors on participation levels in community-based breast cancer prevention programs in Tehran, Iran. *Global journal of health science* 2012, 4(1):42-56.

Al Dasoqi K, Zeilani R, Abdalrahim M, Evans C: Screening for breast cancer among young Jordanian women: ambiguity and apprehension. *International nursing review* 2013, 60(3):351-357.

Al-Azri M, Al-Awisi H, Al-Rasbi S, El-Shafie K, Al-Hinai M, Al-Habsi H, Al- Moundhri M: Psychosocial impact of breast cancer diagnosis among omani women. *Oman medical journal* 2014, 29(6):437-444.

Alcazar-Bejerano IL: Health Behaviors, Disparities and Deterring Factors for Breast Cancer Screening of Immigrant Women - A Challenge to Health Care Professionals. *Journal of lifestyle medicine* 2014, 4(1):55-63.

Alexandraki I, Mooradian AD: Barriers related to mammography use for breast cancer screening among minority women. *Journal of the National Medical Association* 2010, 102(3):206-218.

Andrews J, Guyatt G, Oxman AD, Alderson P, Dahm P, Falck-Ytter Y, Nasser M, Meerpohl J, Post PN, Kunz R et al: GRADE guidelines: 14. Going from evidence to recommendations: the significance and presentation of recommendations. *J Clin Epidemiol* 2013, 66(7):719-725.

Andrews JC, Schunemann HJ, Oxman AD, Pottie K, Meerpohl JJ, Coello PA, Rind D, Montori VM, Brito JP, Norris S et al: GRADE guidelines: 15. Going from evidence to recommendation-determinants of a recommendation's direction and strength. *J Clin Epidemiol* 2013, 66(7):726-735.

Anton S, Tomanovic K, Mrdenovic S, Katinic K, Gugic D, Topic J: Influence of psychical trauma through transgenerational transfer on the development of traumatic reactions in women with diagnosed breast cancer. *Collegium antropologicum* 2011, 35(3):673-680.

Azami-Aghdash S, Ghojzadeh M, Sheyklo SG, Daemi A, Kolahdouzan K, Mohseni M, Moosavi A: Breast Cancer Screening Barriers from the Womans Perspective: a Meta-synthesis. *Asian Pacific journal of cancer prevention: APJCP* 2015, 16(8):3463-3471.

Baena-Canada JM, Rosado-Varela P, Exposito-Alvarez I, Gonzalez-Guerrero M, Nieto-Vera J, Benitez-Rodriguez E: Women's perceptions of breast cancer screening. *Spanish screening programme survey. Breast (Edinburgh, Scotland)* 2014, 23(6):883-888.

Baker P, Beesley H, Dinwoodie R, Fletcher I, Ablett J, Holcombe C, Salmon P: 'You're putting thoughts into my head': a qualitative study of the readiness of patients with breast, lung or prostate cancer to address emotional needs through the first 18 months after diagnosis. *Psycho- oncology* 2013, 22(6):1402-1410.

Bennett P, Parsons E, Brain K, Hood K, reTrace Study T: Long-term cohort study of women at intermediate risk of familial breast cancer: experiences of living at risk. *Psycho-oncology* 2010, 19(4):390-398.

Bolejko A, Brodersen J, Zackrisson S, Wann-Hansson C, Hagell P: Psychometric properties of a Swedish version of the Consequences of Screening--Breast Cancer questionnaire. *Journal of advanced nursing* 2014, 70(10):2373-2388.

Bolejko A, Hagell P, Wann-Hansson C, Zackrisson S: Prevalence, Long-term Development, and Predictors of Psychosocial Consequences of False-Positive Mammography among Women Attending Population-Based Screening. *Cancer epidemiology, biomarkers & prevention: a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology* 2015, 24(9):1388-1397.

Bolejko A, Zackrisson S, Hagell P, Wann-Hansson C: A roller coaster of emotions and sense--coping with the perceived psychosocial consequences of a false-positive screening mammography. *Journal of clinical nursing* 2014, 23(13-14):2053-2062.

Bonomi AE, Boudreau DM, Fishman PA, Ludman E, Mohelnitzky A, Cannon EA, Seger D: Quality of life valuations of mammography screening. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation* 2008, 17(5):801-814.

Bond M, Garside R, Hyde C: Improving screening recall services for women with false-positive mammograms: a comparison of qualitative evidence with UK guidelines. *BMJ open* 2015, 5(1):e005855.

Brandon CJ, Mullan PB: Patients' perception of care during image-guided breast biopsy in a rural community breast center: communication matters. *Journal of cancer education : the official journal of the American Association for Cancer Education* 2011, 26(1):156-160.

Brodersen J, Siersma VD: Long-term psychosocial consequences of false- positive screening mammography. *Annals of family medicine* 2013, 11(2):106-115.

Carney P, O'Neill S, O'Neill C: Determinants of breast cancer screening uptake in women, evidence from the British Household Panel Survey. *Social science & medicine (1982)* 2013, 82:108-114.

Carney PA, Yi JP, Abraham LA, Miglioretti DL, Aiello EJ, Gerrity MS, Reisch L, Berns EA, Sickles EA, Elmore JG: Reactions to uncertainty and the accuracy of diagnostic mammography. *Journal of general internal medicine* 2007, 22(2):234-241.

Chicken DW, Sivanadarajah N, Keshtgar MRS: Patients' view on intraoperative diagnosis of sentinel nodes in breast cancer: is it an automatic choice? *International journal of surgery (London, England)* 2007, 5(2):76-80.

Critical Appraisal Skills Programme (CASP). (2015). Critical Appraisal Skills Programme (CASP). [online] Available at: <http://www.casp-uk.net/#!casp-tools-checklists/c18f8> [Accessed 14 Feb. 2016].

Davidson AS, Liao X, Magee BD: Attitudes of women in their forties toward the 2009 USPSTF mammogram guidelines: a randomized trial on the effects of media exposure. *American journal of obstetrics and gynecology* 2011, 205(1):30.e31-37.

Davidson JA, Cromwell I, Ellard SL, Lohrisch C, Gelmon KA, Shenkier T, Villa D, Lim H, Sun S, Taylor S et al: A prospective clinical utility and pharmacoeconomic study of the impact of the 21-gene Recurrence Score assay in oestrogen receptor positive node negative breast cancer. *European journal of cancer (Oxford, England : 1990)* 2013, 49(11):2469-2475.

Dowling EC, Klabunde C, Patnick J, Ballard-Barbash R, International Cancer Screening N: Breast and cervical cancer screening programme implementation in 16 countries. *Journal of medical screening* 2010, 17(3):139-146.

Dreier M, Borutta B, Toppich J, Bitzer EM, Walter U: [Mammography and cervical cancer screening--a systematic review about women's knowledge, attitudes and participation in Germany]. *Fruherkennung von Brust- und Gebärmutterhalskrebs--ein systematischer Review zu Wissen, Einstellungen und Inanspruchnahmeverhalten der Frauen in Deutschland* 2012, 74(11):722-735.

Ersin F, Gozukara F, Polat P, Ercetin G, Bozkurt ME: Determining the health beliefs and breast cancer fear levels of women regarding mammography. *Turkish journal of medical sciences* 2015, 45(4):775-781.

Fiszer C, Dolbeault S, Sultan S, Bredart A: Prevalence, intensity, and predictors of the supportive care needs of women diagnosed with breast cancer: a systematic review. *Psycho-oncology* 2014, 23(4):361-374.

Fowler BA: Social processes used by African American women in making decisions about mammography screening. *Journal of nursing scholarship : an official publication of Sigma Theta Tau International Honor Society of Nursing / Sigma Theta Tau* 2006, 38(3):247-254.

Fowler BA: Claiming health: mammography screening decision making of African American women. *Oncology nursing forum* 2006, 33(5):969-975.

Ganott MA, Sumkin JH, King JL, Klym AH, Catullo VJ, Cohen CS, Gur D: Screening mammography: do women prefer a higher recall rate given the possibility of earlier detection of cancer? *Radiology* 2006, 238(3):793-800.

Greco KE, Nail LM, Kendall J, Cartwright J, Messecar DC: Mammography decision making in older women with a breast cancer family history. *Journal of nursing scholarship : an official publication of Sigma Theta Tau International Honor Society of Nursing / Sigma Theta Tau* 2010, 42(3):348- 356.

Green LE, Dinh TA, Hinds DA, Walser BL, Allman R: Economic evaluation of using a genetic test to direct breast cancer chemoprevention in white women with a previous breast biopsy. *Applied health economics and health policy* 2014, 12(2):203-217.

Gupta S, Vij A, Cafiero E, Bloom D, Agarwal S, Donelan K, Kopans D, Saini S: Retail venue based screening mammography: assessment of women's preferences. *Academic radiology* 2012, 19(10):1268-1272.

Gurmankin Levy A, Micco E, Putt M, Armstrong K: Value for the future and breast cancer-preventive health behavior. *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology* 2006, 15(5):955-960.

Guyatt GH, Oxman AD, Schunemann HJ, Tugwell P, Knottnerus A: GRADE guidelines: a new series of articles in the *Journal of Clinical Epidemiology*. *J Clin Epidemiol* 2011, 64(4):380-382.

Halkett GKB, Arbon P, Scutter SD, Borg M: The phenomenon of making decisions during the experience of early breast cancer. *European journal of cancer care* 2007, 16(4):322-330.

Harding V, Afshar M, Krell J, Ramaswami R, Twelves CJ, Stebbing J: 'Being there' for women with metastatic breast cancer: a pan-European patient survey. *British journal of cancer* 2013, 109(6):1543-1548.

Henderson BJ, Tyndel S, Brain K, Clements A, Bankhead C, Austoker J, Watson E, Group PSM, Duffy S, Evans G et al: Factors associated with breast cancer-specific distress in younger women participating in a family history mammography screening programme. *Psycho-oncology* 2008, 17(1):74-82.

Hersch J, Jansen J, Barratt A, Irwig L, Houssami N, Howard K, Dhillon H, McCaffery K: Women's views on overdiagnosis in breast cancer screening: a qualitative study. *BMJ (Clinical research ed)* 2013, 346:f158.

Hersch J, Jansen J, Barratt A, Irwig L, Houssami N, Jacklyn G, Thornton H, Dhillon H, McCaffery K: Overdetection in breast cancer screening: development and preliminary evaluation of a decision aid. *BMJ open* 2014, 4(9):e006016.

Higgins J, Green S: *Cochrane Handbook for Systematic Reviews of Interventions*; 2011.

Hobbs MM, Taylor DB, Buzynski S, Peake RE: Contrast-enhanced spectral mammography (CESM) and contrast enhanced MRI (CEMRI): Patient preferences and tolerance. *Journal of medical imaging and radiation oncology* 2015, 59(3):300-305.

Ives A, Musiello T, Saunders C: The experience of pregnancy and early motherhood in women diagnosed with gestational breast cancer. *Psycho-oncology* 2012, 21(7):754-761.

Jimbo M, Rana GK, Hawley S, Holmes-Rovner M, Kelly-Blake K, Nease DE, Jr., Ruffin MT: What is lacking in current decision aids on cancer screening? *CA: a cancer journal for clinicians* 2013, 63(3):193-214.

Jones B: BresDex: helping women make breast cancer surgery choices. *Journal of visual communication in medicine* 2012, 35(2):59-64.

Jones SL, Hadjistavropoulos HD, Gullickson K: Understanding health anxiety following breast cancer diagnosis. *Psychology, health & medicine* 2014, 19(5):525-535.

Kang D-H, Park N-J, McArdle T: Cancer-specific stress and mood disturbance: implications for symptom perception, quality of life, and immune response in women shortly after diagnosis of breast cancer. *ISRN nursing* 2012, 2012:608039.

Khan MA, Shafique S, Khan MT, Shahzad MF, Iqbal S: Presentation delay in breast cancer patients, identifying the barriers in North Pakistan. *Asian Pacific journal of cancer prevention : APJCP* 2015, 16(1):377-380.

Kim S, Ko YH, Jun EY: The impact of breast cancer on mother-child relationships in Korea. *Psycho-oncology* 2012, 21(6):640-646.

Lally RM, Hydeman JA, Schwert KT, Edge SB: Unsupportive social interactions in the weeks immediately following breast cancer diagnosis. *Journal of psychosocial oncology* 2013, 31(4):468-488.

Leonard RC, Barrett-Lee PJ, Gosney MA, Willett AM, Reed MW, Hammond PJ: Effect of patient age on management decisions in breast cancer: consensus from a national consultation. *The oncologist* 2010, 15(7):657-664.

Leung GM, Woo PPS, Cowling BJ, Tsang CSH, Cheung ANY, Ngan HYS, Galbraith K, Lam T-H: Who receives, benefits from and is harmed by cervical and breast cancer screening among Hong Kong Chinese? *Journal of public health (Oxford, England)* 2008, 30(3):282-292.

Lewin S, Glenton C, Munthe-Kaas H, Carlsen B, Colvin CJ, Gulmezoglu M, Noyes J, Booth A, Garside R, Rashidian A: Using qualitative evidence in decision making for health and social interventions: an approach to assess confidence in findings from qualitative evidence syntheses (GRADE- CERQual). *PLoS Med* 2015, 12(10):e1001895.

Mackenzie CR: 'It is hard for mums to put themselves first': how mothers diagnosed with breast cancer manage the sociological boundaries between paid work, family and caring for the self. *Social science & medicine (1982)* 2014, 117:96-106.



Mandelblatt JS, Sheppard VB, Hurria A, Kimmick G, Isaacs C, Taylor KL, Kornblith AB, Noone A-M, Luta G, Tallarico M et al: Breast cancer adjuvant chemotherapy decisions in older women: the role of patient preference and interactions with physicians. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2010, 28(19):3146-3153.

Marcus EN, Drummond D, Dietz N: Urban women's preferences for learning of their mammogram result: a qualitative study. *Journal of cancer education: the official journal of the American Association for Cancer Education* 2012, 27(1):156-164.

McCann L, Illingworth N, Wengstrom Y, Hubbard G, Kearney N: Transitional experiences of women with breast cancer within the first year following diagnosis. *Journal of clinical nursing* 2010, 19(13-14):1969-1976.

McCorry NK, Dempster M, Quinn J, Hogg A, Newell J, Moore M, Kelly S, Kirk SJ: Illness perception clusters at diagnosis predict psychological distress among women with breast cancer at 6 months post diagnosis. *Psycho-oncology* 2013, 22(3):692-698.

Metcalfe KA, Quan M-L, Eisen A, Cil T, Sun P, Narod SA: The impact of having a sister diagnosed with breast cancer on cancer-related distress and breast cancer risk perception. *Cancer* 2013, 119(9):1722-1728.

Miller LS, Shelby RA, Balmadrid MH, Yoon S, Baker JA, Wildermann L, Soo MS: Patient anxiety before and immediately after imaging-guided breast biopsy procedures: impact of radiologist-patient communication. *Journal of the American College of Radiology : JACR* 2013, 10(6):423-431.

Moher D, Liberati A, Tetzlaff J, Altman DG: Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *BMJ* 2009, 339:b2535.

Molina Y, Beresford SAA, Espinoza N, Thompson B: Psychological distress, social withdrawal, and coping following receipt of an abnormal mammogram among different ethnicities: a mediation model. *Oncology nursing forum* 2014, 41(5):523-532.

Muhlbacher AC, Juhnke C: Patient preferences versus physicians' judgement: does it make a difference in healthcare decision making? *Appl Health Econ Health Policy* 2013, 11(3):163-180.

Nekhlyudov L, Li R, Fletcher SW: Informed decision making before initiating screening mammography: does it occur and does it make a difference? *Health expectations : an international journal of public participation in health care and health policy* 2008, 11(4):366-375.

Obeidat R, Khrais HI: Information needs and disclosure preferences among Jordanian women diagnosed with breast cancer. *Journal of cancer education*

: the official journal of the American Association for Cancer Education 2015, 30(1):94-99.

Obeidat RF, Dickerson SS, Homish GG, Alqaissi NM, Lally RM: Controlling fear: Jordanian women's perceptions of the diagnosis and surgical treatment of early-stage breast cancer. *Cancer nursing* 2013, 36(6):484-492.

Obeidat R, Finnell DS, Lally RM: Decision aids for surgical treatment of early stage breast cancer: a narrative review of the literature. *Patient education and counseling* 2011, 85(3):e311-321.

Oh D-Y, Crawford B, Kim S-B, Chung H-C, McDonald J, Lee SY, Ko S-K, Ro J: Evaluation of the willingness-to-pay for cancer treatment in Korean metastatic breast cancer patients: a multicenter, cross-sectional study. *Asia-Pacific journal of clinical oncology* 2012, 8(3):282-291.

Ollivier L, Apiou F, Leclere J, Sevellec M, Asselain B, Bredart A, Neuenschwander S: Patient experiences and preferences: development of practice guidelines in a cancer imaging department. *Cancer imaging : the official publication of the International Cancer Imaging Society* 2009, 9 Spec No A:S92-97.

Osterlie W, Solbjor M, Skolbekken JA, Hofvind S, Saetnan AR, Forsmo S: Challenges of informed choice in organised screening. *Journal of medical ethics* 2008, 34(9):e5.

Pasternack I, Saalasti-Koskinen U, Makela M: Decision aid for women considering breast cancer screening. *International journal of technology assessment in health care* 2011, 27(4):357-362.

Peate M, Meiser B, Cheah BC, Saunders C, Butow P, Thewes B, Hart R, Phillips KA, Hickey M, Friedlander M: Making hard choices easier: a prospective, multicentre study to assess the efficacy of a fertility-related decision aid in young women with early-stage breast cancer. *British journal of cancer* 2012, 106(6):1053-1061.

Peate M, Meiser B, Friedlander M, Saunders C, Martinello R, Wakefield CE, Hickey M: Development and pilot testing of a fertility decision aid for young women diagnosed with early breast cancer. *The breast journal* 2011, 17(1):112-114.

Pivot X, Eisinger F, Blay J-Y, Coscas Y, Calazel-Benque A, Viguier J, Roussel C, Morere J-F: Mammography utilization in women aged 40-49 years: the French EDIFICE survey. *European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation (ECP)* 2011, 20 Suppl 1:S16-19.

Presutti R, D'Alimonte L, McGuffin M, Chen H, Chow E, Pignol J-P, Di Prospero L, Doherty M, Kiss A, Wong J et al: Decisional support throughout the cancer journey for older women diagnosed with early stage breast cancer: a single institutional study. *Journal of cancer education : the official journal of the American Association for Cancer Education* 2014, 29(1):129- 135.

Rottmann N, Helmes AW, Vogel BA: Patients' needs and experiences at breast cancer diagnosis: how perceived threat influences the physician- patient interaction. *Journal of psychosocial oncology* 2010, 28(2):157-172.

Schonberg MA, Birdwell RL, Bychkovsky BL, Hintz L, Fein-Zachary V, Wertheimer MD, Silliman RA: Older women's experience with breast cancer treatment decisions. *Breast cancer research and treatment* 2014, 145(1):211-223.

Schonberg MA, McCarthy EP, York M, Davis RB, Marcantonio ER: Factors influencing elderly women's mammography screening decisions: implications for counseling. *BMC geriatrics* 2007, 7:26.

Schonberg MA, Ramanan RA, McCarthy EP, Marcantonio ER: Decision making and counseling around mammography screening for women aged 80 or older. *Journal of general internal medicine* 2006, 21(9):979-985.

Schonberg MA, Silliman RA, Ngo LH, Birdwell RL, Fein-Zachary V, Donato J, Marcantonio ER: Older women's experience with a benign breast biopsy-a mixed methods study. *Journal of general internal medicine* 2014, 29(12):1631-1640.

Shaffer VA, Tomek S, Hulsey L: The effect of narrative information in a publicly available patient decision aid for early-stage breast cancer. *Health communication* 2014, 29(1):64-73.

Singh-Carlson S, Nguyen SKA, Wong F: Perceptions of survivorship care among South Asian female breast cancer survivors. *Current oncology (Toronto, Ont)* 2013, 20(2):e80-89.

Spittler CA, Pallikathayil L, Bott M: Exploration of how women make treatment decisions after a breast cancer diagnosis. *Oncology nursing forum* 2012, 39(5):E425-433.

Swainston K, Campbell C, van Wersch A, Durning P: Treatment decision making in breast cancer: a longitudinal exploration of women's experiences. *British journal of health psychology* 2012, 17(1):155-170.

Swan JS, Ying J, Stahl J, Kong CY, Moy B, Roy J, Halpern E: Initial development of the Temporary Utilities Index: a multiattribute system for classifying the functional health impact of diagnostic testing. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation* 2010, 19(3):401-412.

Taguchi R, Yamazaki Y, Nakayama K: [Eliciting preferences for mammography: using a discrete choice experiment approach]. [*Nihon koshu eisei zasshi*] *Japanese journal of public health* 2010, 57(2):83-94.

Tobiasz-Adamczyk B, Zawisza K, Florek M, Hodorowicz-Zaniewska D: [Preoperative quality of life in women with pathological alteration in breast]. *Jakosc ycia kobiet ze zmianami patologicznymi piersi w okresie przygotowawczym do zabiegu chirurgicznego* 2013, 70(4):180-186.

Thompson J, Coleman R, Colwell B, Freeman J, Greenfield D, Holmes K, Mathers N, Reed M: Levels of distress in breast cancer survivors approaching discharge from routine hospital follow-up. *Psycho-oncology* 2013, 22(8):1866-1871.

Thomson MD, Siminoff LA: Perspectives on mammography after receipt of secondary screening owing to a false positive. *Women's health issues : official publication of the Jacobs Institute of Women's Health* 2015, 25(2):128-133.

Tosteson ANA, Fryback DG, Hammond CS, Hanna LG, Grove MR, Brown M, Wang Q, Lindfors K, Pisano ED: Consequences of false-positive screening mammograms. *JAMA internal medicine* 2014, 174(6):954-961.

Tyndel S, Austoker J, Henderson BJ, Brain K, Bankhead C, Clements A, Watson EK: What is the psychological impact of mammographic screening on younger women with a family history of breast cancer? Findings from a prospective cohort study by the PIMMS Management Group. *Journal of clinical oncology : official journal of the American Society of Clinical Oncology* 2007, 25(25):3823-3830.

Van den Bruel A, Jones C, Yang Y, Oke J, Hewitson P: People's willingness to accept overdiagnosis in cancer screening: population survey. *BMJ (Clinical research ed)* 2015, 350:h980.

Vernon SW: Risk perception and risk communication for cancer screening behaviors: a review. *Journal of the National Cancer Institute Monographs* 1999(25):101-119.

Waller J, Douglas E, Whitaker KL, Wardle J: Women's responses to information about overdiagnosis in the UK breast cancer screening programme: a qualitative study. *BMJ open* 2013, 3(4).

Waller J, Whitaker KL, Winstanley K, Power E, Wardle J: A survey study of women's responses to information about overdiagnosis in breast cancer screening in Britain. *British journal of cancer* 2014, 111(9):1831-1835.

Watson-Johnson LC, DeGross A, Steele CB, Revels M, Smith JL, Justen E, Barron-Simpson R, Sanders L, Richardson LC: Mammography adherence: a qualitative study. *Journal of women's health (2002)* 2011, 20(12):1887- 1894.

Wevers MR, Ausems MGEM, Verhoef S, Bleiker EMA, Hahn DEE, Hogervorst FBL, van der Lijst RB, Valdimarsdottir HB, van Hillegersberg R, Rutgers EJTH et al: Behavioral and psychosocial effects of rapid genetic counseling and testing in newly diagnosed breast cancer patients: design of a multicenter randomized clinical trial. *BMC cancer* 2011, 11:6.

Willis K: "I come because I am called": recruitment and participation in mammography screening in Uppsala, Sweden. *Health care for women international* 2008, 29(2):135-150.

Wood RY, Della-Monica NR: Psychosocial factors influencing breast cancer risk appraisal among older women. *Qualitative health research* 2011, 21(6):783-795.

Yasunaga H, Ide H, Imamura T, Ohe K: Women's anxieties caused by false positives in mammography screening: a contingent valuation survey. *Breast cancer research and treatment* 2007, 101(1):59-64. Bihmann K, Jensen A, Olsen AH, Njor S, Schwartz W, Vejborg I, Lynge E. *Performance of systematic and non-systematic ('opportunistic') screening mammography: a comparative study from Denmark*. *J Med Screen*; 2008.

Bulliard JL, Ducros C, Jemelin C, Arzel B, Fioretta G, Levi F. *Effectiveness of organised versus opportunistic mammography screening*. *Ann Oncol*. 2009; 20 (7):1199-202. doi: 10.1093/annonc/mdn770. Epub 2009 Mar 12.

Vanier A, Leux C, Allieux C, Billon-Delacour S, Lombrail P, Molinié F. *Are prognostic factors more favorable for breast cancer detected by organised screening than by opportunistic screening or clinical diagnosis? A study in Loire-Atlantique (France)*. *Cancer Epidemiol*. 2013; 37 (5): 683-7.

### **Acceptability**

Kalecinski J, Régnier-Denois V, Ouédraogo S, Dabakuyo-Yonli TS, Dumas A, Arveux P, Chauvin F. *Organized or individual breast cancer screening: what motivates women?* *Sante Publique*; 2015.

### **Economic evidence**

de Gelder R, Bulliard JL, de Wolf C, Fracheboud J, Draisma G, Schopper D, de Koning HJ. *Cost-effectiveness of opportunistic versus organised mammography screening in Switzerland*. *Eur J Cancer*; 2009.

Neeser K, et al. *Cost-effectiveness analysis of a quality-controlled mammography screening program from the Swiss statutory health-care perspective: quantitative assessment of the most influential factors*. *Value Health*; 2007.

Schiller-Fruehwirth I, et al. *The Long-Term Effectiveness and Cost Effectiveness of Organised versus Opportunistic Screening for Breast Cancer in Austria*. *Value Health*; 2017.